

**=> IFW: Scan as Doc Code: SRNT <=
Doc Date:**

TC 3700 Inventor Search Program

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

Serial Number: 10/667,112

**1.) See attached printout of inventors listed in
PALM**

**2.) See attached EAST Inventor Search
Printout shows Inventor search terms**

Day : Tuesday
Date: 4/25/2006

Time: 09:53:27

PALM INTRANET

Inventor Information for 10/667112

| Inventor Name | City | State/Country |
|------------------|-------------|---------------|
| BORNZIN, GENE A. | SIMI VALLEY | CALIFORNIA |

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)

Search Another: Application#

or Patent#

PCT /

/

or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

| | | | | | | |
|-------------------------|--------------|----------|---|---------|---------|--------------------------------|
| US 20050277992 A1 | US- PGPUB | 20051215 | Collecting and analyzing sensed information as a trend of heart failure progression or regression | 607/9 | 600/509 | Koh, Steve et al. |
| US 20050216067 A1 | US- PGPUB | 20050929 | System and method for predicting a heart condition based on impedance values using an implantable medical device | 607/17 | | Min, Xiaoyi et al. |
| US 20050215914 A1 | US- PGPUB | 20050929 | System and method for evaluating heart failure based on ventricular end- diastolic volume using an implantable medical device | 600/508 | | Bornzin, Gene A. et al. |
| US 20050125041 A1 | US- PGPUB | 20050609 | Methods for ventricular pacing | 607/9 | | Min, Xiaoyi et al. |
| US 20050080471 A1 | US- PGPUB | 20050414 | Lead body construction | 607/122 | | Chitre, Yougandh et al. |
| US 20050059897 A1 | US- PGPUB | 20050317 | Statistical analysis for implantable cardiac devices | 600/510 | | Snell, Jeffery D. et al. |
| US 20050055060 A1 | US- PGPUB | 20050310 | Determination of respiratory characteristics from AV conduction intervals | 607/17 | | Koh, Steve et al. |
| US 20040267321 A1 | US- PGPUB | 20041230 | Method and apparatus for monitoring drug effects on cardiac electrical signals using an | 607/3 | 607/9 | Boileau, Peter et al. |

| | | | | | | |
|-------------------------|--------------|----------|--|---------|---------|--------------------------|
| | | | implantable cardiac stimulation device | | | |
| US 20040243210 A1 | US- PGPUB | 20041202 | Fixation of a left heart medical lead in the coronary sinus | 607/122 | 607/125 | Morgan, Kevin L. et al. |
| US 20030195579 A1 | US- PGPUB | 20031016 | Automatic capture using independent channels in bi-chamber stimulation | 607/27 | | Bradley, Kerry et al. |
| US 20030171782 A1 | US- PGPUB | 20030911 | Method and apparatus for using a rest mode indicator to automatically adjust control parameters of an implantable cardiac stimulation device | 607/19 | | Florio, Joseph J. et al. |
| US 20030171781 A1 | US- PGPUB | 20030911 | Method and apparatus for using a rest mode indicator to automatically adjust control parameters of an implantable cardiac stimulation device | 607/17 | 607/19 | Florio, Joseph J. et al. |
| US 20030163165 A1 | US- PGPUB | 20030828 | Implantable cardiac stimulation device that defibrillates the atria while avoiding the ventricular vulnerable period and method | 607/5 | | Bornzin, Gene A. et al. |

| | | | | | | |
|-------------------------|--------------|----------|--|---------|--|--------------------------|
| US 20030153956 A1 | US- PGPUB | 20030814 | Cardiac stimulation device including sleep apnea prevention and treatment | 607/17 | | Park, Euljoon et al. |
| US 20030153955 A1 | US- PGPUB | 20030814 | Cardiac stimulation device including sleep apnea prevention and treatment | 607/17 | | Park, Euljoon et al. |
| US 20030153954 A1 | US- PGPUB | 20030814 | Sleep apnea therapy device using dynamic overdrive pacing | 607/17 | | Park, Euljoon et al. |
| US 20030153953 A1 | US- PGPUB | 20030814 | Stimulation device for sleep apnea prevention, detection and treatment | 607/17 | | Park, Euljoon et al. |
| US 20030130704 A1 | US- PGPUB | 20030710 | Method and apparatus for dynamically adjusting a non-linear overdrive pacing response function | 607/11 | | Florio, Joseph J. et al. |
| US 20030130703 A1 | US- PGPUB | 20030710 | Method and apparatus for dynamically adjusting overdrive pacing parameters | 607/11 | | Florio, Joseph J. et al. |
| US 20030083708 A1 | US- PGPUB | 20030501 | Implantable cardiac stimulation system and method for automatic capture verification calibration | 607/27 | | Bradley, Kerry et al. |
| US 20030074040 A1 | US- PGPUB | 20030417 | System, device and method for placing a body implantable lead | 607/119 | | Florio, Joseph J. et al. |

| | | | | | | |
|-------------------------|--------------|----------|--|---------|--|------------------------|
| | | | in the coronary sinus region of the heart | | | |
| US 20030050681 A1 | US- PGPUB | 20030313 | Self-anchoring coronary sinus lead | 607/125 | | Pianca, Anne M. et al. |
| US 20030045910 A1 | US- PGPUB | 20030306 | Pacing mode to reduce effects of orthostatic hypotension and syncope | 607/23 | | Sorensen, Chris et al. |
| US 20030040778 A1 | US- PGPUB | 20030227 | Orientation of patient's position sensor using external field | 607/17 | | Kroll, Mark W. et al. |
| US 20030040776 A1 | US- PGPUB | 20030227 | Detection of patient's position and activity status using 3D accelerometer-based position sensor | 607/9 | | Kroll, Mark W. et al. |
| US 20020120303 A1 | US- PGPUB | 20020829 | Implantable cardiac device providing repetitive non-reentrant ventriculo-atrial synchronous (RNRVAS) rhythm therapy using VA interval extension and method | 607/14 | | Levine, Paul A. et al. |
| US 20020120301 A1 | US- PGPUB | 20020829 | Implantable cardiac device providing repetitive non-reentrant ventriculo-atrial synchronous (RNRVAS) rhythm therapy using secondary pacing pulses and method | 607/9 | | Levine, Paul A. et al. |

| | | | | | | |
|-------------------------|--------------|----------|--|---------|--|--------------------------|
| US 20020103524 A1 | US- PGPUB | 20020801 | Implantable cardiac single pass coronary sinus lead for providing pacing and defibrillation and method of manufacture | 607/122 | | Bornzin, Gene A. et al. |
| US 20020103523 A1 | US- PGPUB | 20020801 | Implantable cardiac coronary sinus lead having a defibrillation electrode of split configuration and method of manufacture | 607/122 | | Helland, John R. et al. |
| US 20020095190 A1 | US- PGPUB | 20020718 | System and method for automating capture verification assessment and pacing threshold assessment using a programmer | 607/28 | | Bornzin, Gene A. et al. |
| US 20020004672 A1 | US- PGPUB | 20020110 | Implantable cardiac stimulation device with detection and therapy for patients with vasovagal syncope | 607/9 | | Florio, Joseph J. et al. |
| US 20020004671 A1 | US- PGPUB | 20020110 | System and method for preventing sudden heart rate drop using implantable cardiac pacing device | 607/9 | | Bornzin, Gene A. et al. |
| US 20020004670 A1 | US- PGPUB | 20020110 | Implantable cardiac stimulation device with | 607/9 | | Florio, Joseph J. et al. |

| | | | | | | |
|-------------------------|--------------|----------|--|---------|---------|--------------------------|
| | | | detection and therapy for patients with vasovagal syncope | | | |
| US 20020002389 A1 | US- PGPUB | 20020103 | Cardiac stimulation devices and methods for measuring impedances associated with the left side of the heart | 607/8 | | Bradley, Kerry et al. |
| US 20010049542 A1 | US- PGPUB | 20011206 | System and method for automatically verifying capture during multi-chamber stimulation | 607/28 | | Florio, Joseph J. et al. |
| US 20010037136 A1 | US- PGPUB | 20011101 | Lead with polymeric tubular liner for guidewire and stylet insertion | 607/122 | | Pianca, Anne M. et al. |
| US 20010037135 A1 | US- PGPUB | 20011101 | Lead with polymeric tubular liner for guidewire and stylet insertion | 607/122 | | Pianca, Anne M. et al. |
| US 7024243 B1 | USPAT | 20060404 | System and methods for preventing, detecting, and terminating pacemaker mediated tachycardia in biventricular implantable cardiac stimulation device | 607/14 | 600/518 | Bornzin; Gene A. et al. |
| US 7024241 B1 | USPAT | 20060404 | Pacing pulse waveforms that | 607/9 | | Bornzin; Gene A. et |

| | | | | | | |
|---------------|-------|----------|--|---------|------------------|--------------------------|
| | | | support simultaneous intracardiac signal sensing and analysis | | | al. |
| US 7006868 B2 | USPAT | 20060228 | Method and apparatus for using a rest mode indicator to automatically adjust control parameters of an implantable cardiac stimulation device | 607/19 | | Florio; Joseph J. et al. |
| US 6999817 B2 | USPAT | 20060214 | Cardiac stimulation device including sleep apnea prevention and treatment | 607/19 | 607/9 | Park; Euljoon et al. |
| US 6990374 B1 | USPAT | 20060124 | Methods and apparatus for overdrive pacing heart tissue using an implantable cardiac stimulation device | 607/9 | | Florio; Joseph J. et al. |
| US 6988007 B1 | USPAT | 20060117 | Single pass telescoping cardiac lead for the left heart | 607/123 | 600/374; 607/125 | Morgan; Kevin L. et al. |
| US 6968232 B2 | USPAT | 20051122 | Method and apparatus for using a rest mode indicator to automatically adjust control parameters of an implantable cardiac stimulation device | 607/18 | | Florio; Joseph J. et al. |
| US 6937900 | USPAT | 20050830 | AC/DC multi- | 607/19 | 607/18 | Pianca; |

| | | | | | | |
|---------------|-------|----------|---|---------|----------------|-------------------------|
| B1 | | | axis accelerometer for determining patient activity and body position | | | Anne M. et al. |
| US 6934587 B1 | USPAT | 20050823 | System and method for automatic atrial capture detection and atrial pacing threshold determination | 607/28 | | Bornzin; Gene A. et al. |
| US 6928324 B2 | USPAT | 20050809 | Stimulation device for sleep apnea prevention, detection and treatment | 607/20 | 607/18; 607/42 | Park; Euljoon et al. |
| US 6925326 B1 | USPAT | 20050802 | Implantable cardiac stimulation system and method for measuring atrioventricular conduction and adjusting atrioventricular hysteresis | 600/510 | 607/9 | Levine; Paul A. et al. |
| US 6915164 B2 | USPAT | 20050705 | Automatic capture using independent channels in bi-chamber stimulation | 607/29 | | Bradley; Kerry et al. |
| US 6904321 B1 | USPAT | 20050607 | System and method of identifying fusion for dual-chamber automatic capture stimulation device | 607/27 | | Bornzin; Gene A. et al. |
| US 6904320 B2 | USPAT | 20050607 | Sleep apnea therapy device using dynamic overdrive pacing | 607/17 | | Park; Euljoon et al. |
| US 6904317 | USPAT | 20050607 | Method and | 607/9 | 607/11 | Florio; |

| | | | | | | |
|---------------|-------|----------|---|---------|---------|--------------------------|
| B2 | | | apparatus for dynamically adjusting overdrive pacing parameters | | | Joseph J. et al. |
| US 6889077 B2 | USPAT | 20050503 | Implantable cardiac stimulation device that defibrillates the atria while avoiding the ventricular vulnerable period and method | 607/4 | 607/63 | Bornzin; Gene A. et al. |
| US 6862471 B1 | USPAT | 20050301 | Method and apparatus for blanking T-waves from combipolar atrial cardiac signals based on expected T-wave locations | 600/509 | 607/9 | McClure; Kelly H. et al. |
| US 6832112 B1 | USPAT | 20041214 | Method of adjusting an AV and/or PV delay to improve hemodynamics and corresponding implantable stimulation device | 607/9 | | Bornzin; Gene A. |
| US 6804556 B1 | USPAT | 20041012 | Methods and apparatus for overdrive pacing heart tissue using an implantable cardiac stimulation device | 607/9 | | Florio; Joseph J. et al. |
| US 6792307 B1 | USPAT | 20040914 | Implantable cardiac stimulation system and method for | 607/9 | 600/509 | Levine; Paul A. et al. |

| | | | | | | | |
|------------------|--|-------|----------|---|---------|-----------------------------|-------------------------------|
| | | | | measuring atrioventricular conduction and adjusting atrioventricular hysteresis | | | |
| US 6782291 B1 | | USPAT | 20040824 | Implantable cardiac stimulation device with automatic evoked response sensing electrode configuration selection and method | 607/28 | | Bornzin; Gene A. et al. |
| US 6766195 B1 | | USPAT | 20040720 | Method and apparatus for detecting natural electrical coherence within the heart and for administering therapy based thereon | 607/14 | 600/515; 607/4; 607/5 | Bornzin; Gene A. et al. |
| US 6760619 B1 | | USPAT | 20040706 | Two lead universal defibrillation, pacing and sensing system | 607/4 | 607/123 | Helland; John R. et al. |
| US 6758854 B1 | | USPAT | 20040706 | Splittable occlusion balloon sheath and process of use | 606/194 | 604/101.01 | Butler; William et al. |
| US 6748268 B1 | | USPAT | 20040608 | Three lead universal pacing and shocking system | 607/4 | | Helland; John R. et al. |
| US 6748261 B1 | | USPAT | 20040608 | Implantable cardiac stimulation device for and method of monitoring progression or regression of | 600/510 | 600/509; 607/9 | Kroll; Mark W. et al. |

| | | | | | | |
|---------------|-------|----------|---|---------|-------------------------|--------------------------|
| | | | heart disease by monitoring interchamber conduction delays | | | |
| US 6745081 B1 | USPAT | 20040601 | Coronary Sinus Cardiac Lead For Stimulating and Sensing The Atria of the Right and Left Heart and System | 607/123 | | Helland; John R. et al. |
| US 6741885 B1 | USPAT | 20040525 | Implantable cardiac device for managing the progression of heart disease and method | 600/509 | 600/529; 607/19; 607/20 | Park; Euljoon et al. |
| US 6731985 B2 | USPAT | 20040504 | Implantable cardiac stimulation system and method for automatic capture verification calibration | 607/28 | | Poore; John W. et al. |
| US 6721601 B1 | USPAT | 20040413 | System and method for automatic atrial capture detection and atrial pacing threshold determination | 607/28 | | Bornzin; Gene A. et al. |
| US 6721598 B1 | USPAT | 20040413 | Coronary sinus cardiac lead for stimulating and sensing in the right and left heart and system | 607/4 | 607/123 | Helland; John R. et al. |
| US 6711438 B1 | USPAT | 20040323 | Method and apparatus for blanking T-waves from combipolar atrial cardiac signals based on expected T-wave locations | 607/9 | | McClure; Kelly H. et al. |

| | | | | | | | |
|------------------|--|-------|----------|---|---------|---------|--------------------------|
| US 6701187 B1 | | USPAT | 20040302 | Implantable cardiac stimulation device and method for prolonging atrial refractoriness | 607/14 | | Bornzin; Gene A. et al. |
| US 6662047 B2 | | USPAT | 20031209 | Pacing mode to reduce effects of orthostatic hypotension and syncope | 607/18 | 607/23 | Sorensen; Chris et al. |
| US 6658292 B2 | | USPAT | 20031202 | Detection of patient's position and activity status using 3D accelerometer-based position sensor | 607/19 | | Kroll; Mark W. et al. |
| US 6658283 B1 | | USPAT | 20031202 | Implantable cardiac stimulation device, system and method which provides an electrogram signal having the appearance of a surface electrocardiogram | 600/510 | | Bornzin; Gene A. et al. |
| US 6650945 B2 | | USPAT | 20031118 | Implantable cardiac coronary sinus lead having a defibrillation electrode of split configuration and method of manufacture | 607/122 | 607/123 | Helland; John R. et al. |
| US 6650931 B1 | | USPAT | 20031118 | System and method of automatically determining the onsets and ends of cardiac events and far-field signals | 600/510 | | McClure; Kelly H. et al. |

| | | | | | | | |
|------------------|--|-------|----------|--|--------|--------|--------------------------|
| US 6647295 B2 | | USPAT | 20031111 | Implantable cardiac stimulation device with detection and therapy for patients with vasovagal syncope | 607/9 | 607/17 | Florio; Joseph J. et al. |
| US 6640136 B1 | | USPAT | 20031028 | Implantable cardiac stimulation device with automatic electrode selection for avoiding cross-chamber stimulation | 607/28 | | Helland; John R. et al. |
| US 6636766 B2 | | USPAT | 20031021 | System and method for preventing sudden heart rate drop using implantable cardiac pacing device | 607/19 | 607/17 | Bornzin; Gene A. et al. |
| US 6625493 B2 | | USPAT | 20030923 | Orientation of patient's position sensor using external field | 607/17 | | Kroll; Mark W. et al. |
| US 6625492 B2 | | USPAT | 20030923 | Implantable cardiac stimulation device with detection and therapy for patients with vasovagal syncope | 607/17 | 607/9 | Florio; Joseph J. et al. |
| US 6625490 B1 | | USPAT | 20030923 | System and method of automatically adjusting sensing parameters based on temporal | 607/9 | | McClure; Kelly H. et al. |

| | | | | | | |
|------------------|-------|----------|--|--------|--------|--------------------------|
| | | | measurement of cardiac events | | | |
| US 6618619 B1 | USPAT | 20030909 | Method and apparatus for reducing the effect of evoked responses on polarization measurements in an automatic capture pacing system | 607/27 | 607/28 | Florio; Joseph J. et al. |
| US 6606517 B1 | USPAT | 20030812 | Methods and apparatus for preventing atrial arrhythmias by overdrive pacing and prolonging atrial refractoriness using an implantable cardiac stimulation device | 607/14 | | Park; Euljoon et al. |
| US 6539259 B1 | USPAT | 20030325 | System and method of automatically adjusting sensitivity in an implantable cardiac stimulation device | 607/9 | | Weinberg; Lisa P. et al. |
| US 6519493 B1 | USPAT | 20030211 | Methods and apparatus for overdrive pacing heart tissue using an implantable cardiac stimulation device | 607/9 | | Florio; Joseph J. et al. |
| US 6512953 B2 | USPAT | 20030128 | System and method for automatically verifying capture | 607/28 | | Florio; Joseph J. et al. |

| | | | | | | |
|---------------|-------|----------|--|---------|--------|-------------------------|
| | | | during multi-chamber stimulation | | | |
| US 6510342 B1 | USPAT | 20030121 | Methods and apparatus for preventing atrial arrhythmias by overdrive pacing multiple heart tissue sites using an implantable cardiac stimulation device | 607/15 | 607/14 | Park; Euljoon et al. |
| US 6498949 B2 | USPAT | 20021224 | Implantable cardiac device providing repetitive non-reentrant ventriculo-atrial synchronous (RNRVAS) rhythm therapy using VA interval extension and method | 607/14 | 607/9 | Levine; Paul A. et al. |
| US 6490489 B2 | USPAT | 20021203 | Implantable cardiac single pass coronary sinus lead for providing pacing and defibrillation and method of manufacture | 607/122 | | Bornzin; Gene A. et al. |
| US 6477419 B2 | USPAT | 20021105 | Implantable cardiac device providing repetitive non-reentrant ventriculo-atrial synchronous (RNRVAS) rhythm therapy using secondary pacing pulses and method | 607/14 | 607/9 | Levine; Paul A. et al. |

| | | | | | | | |
|------------------|--|-------|----------|---|---------|--------------------------------|-------------------------|
| US 6466821 B1 | | USPAT | 20021015 | AC/DC multi-axis accelerometer for determining patient activity and body position | 607/18 | 607/19 | Pianca; Anne M. et al. |
| US 6459937 B1 | | USPAT | 20021001 | Endocardial pacing lead with detachable tip electrode assembly | 607/126 | 607/119 | Morgan; Kevin L. et al. |
| US 6456890 B2 | | USPAT | 20020924 | Lead with polymeric tubular liner for guidewire and stylet insertion | 607/122 | | Pianca; Anne M. et al. |
| US 6456889 B2 | | USPAT | 20020924 | Lead with polymeric tubular liner for guidewire and stylet insertion | 607/122 | | Pianca; Anne M. et al. |
| US 6456881 B1 | | USPAT | 20020924 | System and method of identifying fusion for dual-chamber automatic capture stimulation device | 607/27 | | Bornzin; Gene A. et al. |
| US 6456880 B1 | | USPAT | 20020924 | Implantable cardiac stimulation device for and method of monitoring progression or regression of a patient's heart condition by monitoring ventricular repolarization interval dispersion | 607/25 | | Park; Euljoon et al. |
| US 6449509 B1 | | USPAT | 20020910 | Implantable stimulation device having | 607/20 | 600/533; 600/547; 607/17 | Park; Euljoon et al. |

| | | | | | | |
|---------------|-------|----------|--|---------|---------|-------------------------|
| | | | synchronous sampling for a respiration sensor | | | |
| US 6408210 B1 | USPAT | 20020618 | System and method for automatic atrial capture detection and atrial pacing threshold determination | 607/28 | | Bornzin; Gene A. et al. |
| US 6405091 B1 | USPAT | 20020611 | Lead assembly with masked microdisk tip electrode and monolithic controlled release device | 607/120 | 607/126 | Vachon; David J. et al. |
| US 6389316 B1 | USPAT | 20020514 | System and method for automatic atrial capture detection and atrial pacing threshold determination | 607/28 | 607/11 | Bornzin; Gene A. et al. |
| US 6377852 B1 | USPAT | 20020423 | Implanatable cardiac stimulation device and method for prolonging atrial refractoriness | 607/9 | | Bornzin; Gene A. et al. |
| US 6351672 B1 | USPAT | 20020226 | System and method for modulating the pacing rate based on patient activity and position | 607/19 | 607/17 | Park; Euljoon et al. |
| US 6295471 B1 | USPAT | 20010925 | System and method for automatic atrial capture detection and atrial pacing threshold determination | 607/28 | | Bornzin; Gene A. et al. |
| US 6275733 B1 | USPAT | 20010814 | Dual sensor rate response | 607/18 | 607/19 | Park; Euljoon et |

| | | | | | | |
|------------------|-------|----------|--|---------|--------|--------------------------|
| | | | pacemaker | | | al. |
| US 6269264 B1 | USPAT | 20010731 | Method for measuring impedance in the body | 600/547 | 607/28 | Weyant; Robert R. et al. |
| US 6175766 B1 | USPAT | 20010116 | Cardiac pacemaker autothreshold arrangement and method with reliable capture | 607/28 | | Bornzin; Gene A. et al. |
| US 6128534 A | USPAT | 20001003 | Implantable cardiac stimulation device and method for varying pacing parameters to mimic circadian cycles | 607/17 | 607/25 | Park; Euljoon et al. |
| US 6122546 A | USPAT | 20000919 | Pacemaker and method of operating same that provides functional atrial cardiac pacing with ventricular support | 607/9 | | Sholder; Jason A. et al. |
| US 6058328 A | USPAT | 20000502 | Implantable stimulation device having means for operating in a preemptive pacing mode to prevent tachyarrhythmias and method thereof | 607/14 | | Levine; Paul A. et al. |
| US 6044294 A | USPAT | 20000328 | Methods and apparatus for measuring impedance in the body | 600/547 | 607/9 | Mortazavi; Said et al. |
| US 5991661 A | USPAT | 19991123 | System and method for | 607/19 | | Park; Euljoon et |

| | | | | | | |
|-----------------|-------|----------|--|---------|--------|--------------------------------|
| | | | measuring cardiac activity | | | al. |
| US 5891176 A | USPAT | 19990406 | System and method for providing hemodynamically optimal pacing | 607/18 | | Bornzin; Gene A. |
| US 5873895 A | USPAT | 19990223 | Pacemaker and method of operating same that provides functional atrial cardiac pacing with ventricular support | 607/9 | | Sholder; Jason A. et al. |
| US 5814077 A | USPAT | 19980929 | Pacemaker and method of operating same that provides functional atrial cardiac pacing with ventricular support | 607/9 | | Sholder; Jason A. et al. |
| US 5810739 A | USPAT | 19980922 | Methods and apparatus for classifying cardiac events with an implantable cardiac device | 600/510 | | Bornzin; Gene A. et al. |
| US 5800467 A | USPAT | 19980901 | Cardio-synchronous impedance measurement system for an implantable stimulation device | 607/17 | | Park; Euljoon et al. |
| US 5766229 A | USPAT | 19980616 | Capture verification method and apparatus for implantable pacemaker utilizing heart rhythm stability | 607/28 | 607/16 | Bornzin; Gene A. |

| | | | | | | |
|-----------------|-------|----------|--|---------|--------------------------------|---------------------------------|
| | | | measurements to minimize the likelihood of fusion | | | |
| US 5733312 A | USPAT | 19980331 | System and method for modulating the output of an implantable medical device in response to circadian variations | 607/17 | | Schloss; Harold C. et al. |
| US 5718242 A | USPAT | 19980217 | Cardiac arrhythmia detection system for an implantable stimulation device and method | 600/515 | 600/518; 600/521; 607/14 | McClure; Kelly H. et al. |
| US 5697956 A | USPAT | 19971216 | Implantable stimulation device having means for optimizing current drain | 607/28 | | Bornzin; Gene A. |
| US 5674274 A | USPAT | 19971007 | Implantable adjustable single-pass A-V lead for use with an implantable stimulation device | 607/123 | 607/122 | Morgan; Kevin L. et al. |
| US 5643338 A | USPAT | 19970701 | Single-pass A-V lead for pacing with stimulation of right ventricular outflow tract | 607/123 | 607/125 | Bornzin; Gene A. et al. |
| US 5628779 A | USPAT | 19970513 | Single-pass A-V pacing lead | 607/123 | 607/125 | Bornzin; Gene A. et al. |
| US 5560369 A | USPAT | 19961001 | Cardiac arrhythmia detection system | 600/518 | 600/517; 600/521 | McClure; Kelly H. et al. |

| | | | | | | |
|--------------|-------|----------|--|---------|---------|--------------------------|
| | | | for an implantable stimulation device and method | | | |
| US 5549650 A | USPAT | 19960827 | System and method for providing hemodynamically optimal pacing therapy | 607/24 | 607/25 | Bornzin; Gene A. et al. |
| US 5549649 A | USPAT | 19960827 | Programmable pacemaker including an atrial rate filter for deriving a filtered atrial rate used for switching pacing modes | 607/15 | | Florio; Joseph J. et al. |
| US 5540725 A | USPAT | 19960730 | Upper rate response for implantable pacemaker based on atrial lock interval pacing | 607/9 | | Bornzin; Gene A. et al. |
| US 5514162 A | USPAT | 19960507 | System and method for automatically determining the slope of a transfer function for a rate-responsive cardiac pacemaker | 607/19 | | Bornzin; Gene A. et al. |
| US 5513644 A | USPAT | 19960507 | Cardiac arrhythmia detection system for an implantable stimulation device | 600/521 | 128/901 | McClure; Kelly H. et al. |
| US 5509926 A | USPAT | 19960423 | Implantable medical device having means for suppressing | 607/19 | | Mortazavi; Said et al. |

| | | | | | | |
|--------------|-------|----------|---|---------|---|----------------------------|
| | | | thermally induced signals from piezoelectric sensors and method thereof | | | |
| US 5476483 A | USPAT | 19951219 | System and method for modulating the base rate during sleep for a rate-responsive cardiac pacemaker | 607/17 | | Bornzin; Gene A. et al. |
| US 4941475 A | USPAT | 19900717 | Thermodilution by heat exchange | 600/505 | 600/526; 600/549 | Williams; Wilbur R. et al. |
| US 4813421 A | USPAT | 19890321 | Oxygen sensing pacemaker | 600/333 | 356/41; 607/22 | Baudino; Michael D. et al. |
| US 4807629 A | USPAT | 19890228 | Oxygen sensing pacemaker | 607/22 | 600/333; 600/510 | Baudino; Michael D. et al. |
| US 4791935 A | USPAT | 19881220 | Oxygen sensing pacemaker | 600/333 | 600/505 | Baudino; Michael D. et al. |
| US 4725128 A | USPAT | 19880216 | Method for delivering light from multiple light emitting diodes over a single optical fiber | 385/91 | 156/60; 156/64; 257/100; 257/89; 257/98; 257/99; 385/90 | Bornzin; Gene A. et al. |
| US H000356 H | USPAT | 19871103 | Epicardial lead having low threshold, low polarization myocardial electrode | 607/126 | 604/20; 607/122 | Stokes; Kenneth B. et al. |
| US 4502492 A | USPAT | 19850305 | Low-polarization low-threshold electrode | 607/121 | 607/126 | Bornzin; Gene A. |
| US 4499907 A | USPAT | 19850219 | Energy limiting cardioversion lead | 607/122 | | Kallok; Michael J. et al. |
| US 4467807 A | USPAT | 19840828 | Rate adaptive demand | 607/22 | | Bornzin; Gene A. |

| | | | | | | |
|--|--|--|-----------|--|--|--|
| | | | pacemaker | | | |
|--|--|--|-----------|--|--|--|